


BULLETPROOF HITCHES™



PRODUCT CATALOG

WORLD'S STRONGEST ADJUSTABLE TRAILER HITCHES & ACCESSORIES



CONTENTS

OUR STORY



OUR STORY	02
SIZING CHART	03
MEDIUM DUTY HITCHES	04
HEAVY DUTY HITCHES	07
EXTREME DUTY HITCHES	11
OFFSET HITCHES	15
RECEIVER SHACKLES	16
ACCESSORIES	17
FOLLOW US	37
APPAREL	38


A MONUMENTAL TASK, A BULLETPROOF SOLUTION!

The towing capabilities of pickup trucks have steadily increased over the last 30 years. New trucks are capable of towing 30,000+ pounds. This consistent increase in towing ability created a need for a trailer hitch that could match and exceed the tow rating of new trucks while providing the necessary versatility to tow multiple trailers at different ride heights. We set out to create the ultimate trailer hitch to outperform anything the industry had ever seen before.

REQUIREMENTS FOR THE PERFECT HITCH:

1. Gross trailer weight rating of 36,000 pounds trailer weight plus 6,000 pounds tongue weight
2. Height adjustment in less than 20 seconds
3. Ball size adjustment in less than 20 seconds
4. Ability to utilize a wide variety of attachments to tow any trailer
5. The highest achievable quality
6. Fully welded components that are free of any welding defects
7. Precision fit and finish for a near-perfect receiver connection that is noise-free
8. Attractive design to complement our vehicles
9. A no-hassle lifetime construction warranty that is second to none, backed by an incredible support team
10. A solid steel receiver shank that fills the entire receiver.

After laying out the requirements, we designed a line of trailer hitches that would exceed all competitors for years to come. **And so, the BulletProof Hitch was born!**



WORLD'S STRONGEST ADJUSTABLE TRAILER HITCHES & ACCESSORIES
2\" (CLASS 4), 2.5\" (CLASS 5), & 3\" RECEIVER SHANKS AVAILABLE - DROP/RISE SIZES FROM 2\" TO 16\"
LIFETIME GUARANTEE!

USE THIS QR CODE TO READ MORE ABOUT THE BULLETPROOF HITCH!



SIZING CHART

RATED TO
14,000 LBS


MEDIUM DUTY

HOW TO FIND THE PERFECT BULLETPROOF HITCH FOR YOUR VEHICLE

FIGURE A



FIGURE B



In order to find out which BulletProof Hitch will work best for your vehicle, please follow these steps:

STEP 1: Measure the opening of the receiver tube (**Figure A**) to determine what size shank your vehicle requires. It will either be **2"**, **2.5"** or **3"** (Please note the 3" is only applicable to some 2017 and newer Ford Super Duty trucks and some RVs/semis.)

STEP 2: Park your vehicle on level ground and measure from the ground to the bottom inside of the receiver tube (**Figure B**), then take that measurement and apply it to the information below. As you can see in the example, this truck would require our 6" drop.

Receiver height as measured:

Under **13"** requires a hitch in the rise position (call us to help you)

13"-15" requires **2"** drop/rise hitch

16"-18" requires **4"** drop/rise hitch

19"-21" requires **6"** drop/rise hitch

22"-24" requires **8"** drop/rise hitch

25"-27" requires **10"** drop/rise hitch

28"-30" requires **12"** drop/rise hitch

31"-33" requires **14"** drop/rise hitch

34"-36" requires **16"** drop/rise hitch

I fall between two measurements. What should I order? Call us for help at 844-894-6448.


I tow heavy trailers (in excess of 8,000 pounds). Does this impact what hitch I should order?

Please call us to discuss your exact measurements due to possible squatting that may occur when your trailer is loaded.

My truck has helper air bags/air suspension. Does this impact which hitch I need?

Please call us to discuss your measurements and what you are towing.

If you are unsure or have any questions, please contact us at 844-894-6448, and we will be happy to help you select the correct hitch for your vehicle and towing needs!



BULLETPROOF MEDIUM DUTY HITCHES

The Medium Duty hitch is an adjustable steel hitch designed for those looking to tow with their SUV, 1/2-ton truck or heavy-duty truck. Rated to 14,000 pounds, the Medium Duty hitch is precision CNC milled and drilled, and features a box steel shank, solid steel dual ball assembly and (2) hardened pins and R-clips to secure the dual ball to the hitch. The hitch and dual ball are finished in a durable, textured, black, powder coat. The Medium Duty hitch is offered in two shank sizes (2" and 2.5") and can be used in a drop or rise position. This hitch is a great option for those wanting a safe towing experience without the weight of the solid steel Heavy Duty and Extreme Duty hitches.



USE THIS QR CODE TO VIEW THE
WHAT SIZE HITCH DO I NEED VIDEO!



USE THIS QR CODE TO VIEW THE
BULLETPROOF MEDIUM DUTY HITCHES ONLINE!



MEDIUM DUTY

**RATED TO
14,000 LBS**

**2"-2.5" SHANK
2"-6" DROP/RISE**

MEDIUM DUTY

MEDIUM DUTY 2" DROP/RISE HITCH

The Medium Duty 2" drop hitch provides 3 levels of adjustment. This hitch is made for trucks with a receiver height of 13"-15" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 2" drop. The overall length of the hitch is 8".

- Available in 2" shank
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 14,000 pounds
- Tongue weight: 2,000 pounds

SKU: MD202

MEDIUM DUTY 4" DROP/RISE HITCH

The Medium Duty 4" drop hitch provides 4 levels of adjustment. This hitch is made for trucks with a receiver height of 16"-18" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 4" drop. The overall height of the hitch is 10".

- Available in 2" & 2.5" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 14,000 pounds
- Tongue weight: 2,000 pounds

SKU: MD204

SKU: MD254


MEDIUM DUTY 6" DROP/RISE HITCH

The Medium Duty 6" drop hitch provides 5 levels of adjustment. This hitch is designed for trucks with a receiver height of 19"-21" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 6" drop. The overall height of the hitch is 12".

- Available in 2" & 2.5" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 14,000 pounds
- Tongue weight: 2,000 pounds

SKU: MD206

SKU: MD256



**USE THIS QR CODE TO VIEW THE
BULLETPROOF MEDIUM DUTY HITCHES ONLINE!**

HEAVY DUTY

**RATED TO
22,000 LBS**

**2"-2.5"-3" SHANK
4"-16" DROP/RISE**

HEAVY DUTY



BULLETPROOF HEAVY DUTY HITCHES


The Heavy Duty hitch was designed to be a perfect match for 1500, 2500 and 3500 trucks. With a 22,000 pound weight rating, the Heavy Duty hitch allows you to maximize the towing capability of your vehicle. Built from solid steel with a wide range of accessories, this hitch is the perfect tool for towing all trailers. The Heavy Duty hitch is precision CNC milled and drilled, and features a solid steel shank, solid steel dual ball assembly and (2) hardened pins and R-clips to secure the dual ball to the hitch. The hitch and dual ball are finished in a durable, textured, black, powder coat.

HEAVY DUTY 4" DROP/RISE HITCH

The 4" drop hitch was designed for trucks at stock or leveled height. This hitch works best for trucks with a receiver height of 16"-18" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 4" drop. The overall height of the hitch is 10".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD204
SKU: HD254
SKU: HD304



HEAVY DUTY 6" DROP/RISE HITCH

The Heavy Duty 6" drop hitch was designed for newer stock trucks and older trucks with oversized tires. This hitch works best for trucks with a receiver height of 19"-21" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 6" drop. The overall length of the hitch is 12".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD206
SKU: HD256
SKU: HD306



HEAVY DUTY 8" DROP/RISE HITCH

If your truck is lifted 4" to 6" on 35" tires, this 8" drop hitch is a great choice to keep your trailer level and off the ground. This hitch works best for trucks with a receiver height of 22"-24" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 8" drop. The overall height of the hitch is 14".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD208
SKU: HD258
SKU: HD308

USE THIS QR CODE TO VIEW THE
BULLETPROOF HEAVY DUTY HITCHES ONLINE!



HEAVY DUTY

**RATED TO
22,000 LBS**

**2"-2.5"-3" SHANK
4"-16" DROP/RISE**

HEAVY DUTY



HEAVY DUTY 10" DROP/RISE HITCH

Designed for trucks with 6" to 8" of lift and 37" tires. This hitch is made for trucks with a receiver height of 25"-27" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 10" drop. The overall height of the hitch is 16".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD2010
SKU: HD2510
SKU: HD3010



HEAVY DUTY 12" DROP/RISE HITCH

Trucks with an 8" to 10" lift and 40" tires are perfect candidates for this hitch. The 12" drop/rise hitch works best for trucks with a receiver height of 28"-30" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 12" drop. The overall height of the hitch is 18".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD2012
SKU: HD2512
SKU: HD3012



HEAVY DUTY 14" DROP/RISE HITCH

For trucks with 12" of lift and 40" tires, the 14" drop hitch is unstoppable. This hitch is designed for trucks with a receiver height of 31"-33" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 14" drop. The overall height of the hitch is 20".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD2014
SKU: HD2514
SKU: HD3014



HEAVY DUTY 16" DROP/RISE HITCH

This hitch was designed for trucks with 12" of lift or more and 40" tires or larger. The BulletProof 16" drop hitch works best for trucks with a receiver height of 34"-36" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 16" drop. The overall height of the hitch is 22".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 22,000 pounds
- Tongue weight: 3,000 pounds

SKU: HD2016
SKU: HD2516
SKU: HD3016



**USE THIS QR CODE TO VIEW THE
BULLETPROOF HEAVY DUTY HITCHES ONLINE!**

EXTREME DUTY

RATED UP TO
36,000 LBS


2"-2.5"-3" SHANK
4"-12" DROP/RISE

EXTREME DUTY



BULLETPROOF EXTREME DUTY HITCHES

For the ultimate in towing capability, BulletProof Hitches™ offers an Extreme Duty line of hitches. Rated up to an outstanding 36,000 pounds, these hitches are ideal for 3500, 4500, 5500 and semi trucks. Extreme Duty hitches are compatible with every BulletProof accessory and will exceed all of your needs. You'll wonder why you don't have one yet! The Extreme Duty hitch is precision CNC milled and drilled and features a solid steel shank, solid steel dual ball assembly and (2) hardened pins and R-clips to secure the dual ball to the hitch. The hitch and dual ball are finished in a durable, textured, black, powder coat.



EXTREME DUTY 4" DROP/RISE HITCH

The Extreme Duty 4" drop/rise hitch is a perfect fit for vehicles at stock height. This hitch works best for trucks with a receiver height of 16" - 18" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 4" drop. The overall height of the hitch is 10".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 36,000 pounds
- Tongue weight: 6,000 pounds

SKU: ED204

SKU: ED254

SKU: ED304



EXTREME DUTY 6" DROP/RISE HITCH

The 6" drop/rise hitch caters to those with a newer truck at stock height. This hitch works best for trucks with a receiver height of 19"-21" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 6" drop. The overall height of the hitch is 12".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 36,000 pounds
- Tongue weight: 6,000 pounds

SKU: ED206

SKU: ED256

SKU: ED306



USE THIS QR CODE TO VIEW THE
BULLETPROOF EXTREME DUTY HITCHES ONLINE!

EXTREME DUTY

RATED UP TO
36,000 LBS

2"-2.5"-3" SHANK
4"-12" DROP/RISE

EXTREME DUTY



EXTREME DUTY 8" DROP/RISE HITCH

The 8" drop hitch was designed for trucks running a 6" lift and 35" tires. This hitch works best with a receiver height of 22"-24" (ground to bottom of receiver tube).

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 36,000 pounds
- Tongue weight: 6,000 pounds

SKU: ED208
SKU: ED258
SKU: ED308



EXTREME DUTY 12" DROP/RISE HITCH

The 12" Extreme Duty drop hitch is the largest and heaviest hitch around. This hitch works best for trucks with a receiver height of 28"-30" (ground to bottom of receiver tube). Please NOTE: This hitch is a true 12" drop. The overall height of the hitch is 18".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2-5/16" & 2"
- Maximum capacity: 36,000 pounds
- Tongue weight: 6,000 pounds

SKU: ED2012
SKU: ED2512
SKU: ED3012



EXTREME DUTY 10" DROP/RISE HITCH

The 10" drop hitch is made for trucks with a receiver height of 25"-27" (ground to bottom of receiver tube). Generally speaking, this applies to trucks with 8" of lift and 37" tires. Please NOTE: This hitch is a true 10" drop. The overall height of the hitch is 16".

- Available in 2", 2.5" & 3" shanks
- BulletProof dual ball: 2" & 2-5/16"
- Maximum capacity: 36,000 pounds
- Tongue weight: 6,000 pounds

SKU: ED2010
SKU: ED2510
SKU: ED3010

F250 EQUIPPED WITH AN EXTREME DUTY HITCH



USE THIS QR CODE TO VIEW THE
BULLETPROOF EXTREME DUTY HITCHES ONLINE!

OFFSET HITCHES

RATED UP TO
36,000 LBS

RECEIVER

SHACKLES



MEDIUM DUTY 4" & 6" OFFSET HITCH

The Medium Duty 4" & 6" Offset Hitch was designed for people who regularly tow a wide variety of trailers. This hitch can be used in either orientation. It's great for those who tow tall trailers that may require the ball in the rise position and smaller trailers that require it in the drop position. You can leave this hitch locked in place and not worry about flipping it over every time you have a trailer with a different height requirement.

The Medium Duty Offset Hitch is available in 2" & 2.5" shank sizes. It offers up to 14,000 pounds towing capacity and 2,000 pounds tongue weight capacity with 6 easily adjustable ride heights.

Medium duty hitches are not compatible with the pintle attachment.

SKU: MD20OFFSET
SKU: MD25OFFSET

EXTREME DUTY 4" & 6" OFFSET HITCH

The Extreme Duty 4" & 6" Offset Hitch was designed for people who regularly tow a wide variety of trailers. This hitch can be used in either orientation. It's great for those towing very tall trailers such as pintle equipment trailers which may require the ball in a rise position, and small utility trailers which may require the ball in a drop position. You can leave this hitch locked in place and not worry about flipping it over every time you have a trailer with a different height requirement.

It was also designed for most vehicles to allow the tailgate to fold down without touching the hitch. The 2.5" & 3" versions offer a 36,000 pounds towing capacity, while the 2" version offers a 30,000 pounds towing capacity. All versions offer a 6,000 pounds tongue weight capacity. Available in 2", 2.5" & 3" shanks.

SKU: ED20OFFSET
SKU: ED25OFFSET
SKU: ED30OFFSET




When you need to attach a rope, strap or chain to your truck, it's important to find the strongest possible point on the vehicle. The Extreme Duty BulletProof Receiver Shackle solves that problem with a solid steel shank and a 1-1/4" shackle to attach the tether to your vehicle.

This shackle features four different pin holes so you can set the shackle where you need it. The design allows it to be used in both horizontal and vertical orientations, as well as in extended or recessed positions. This can be especially useful for trucks with aftermarket bumpers.

Our receiver shackle features the same durable, textured powder coat as our hitches and is rated at 36,000 pounds. This accessory comes standard with one hardened pin and R-clip. BulletProof Extreme Duty Receiver Shackles are available in 2", 2.5" and 3" shanks.

SKU: ED20SHACKLE
SKU: ED25SHACKLE
SKU: ED30SHACKLE



USE THIS QR CODE TO VIEW THE
BULLETPROOF RECEIVER SHACKLES ONLINE!

ACCESSORIES



5/8" BULLETPROOF LOCKING PIN

The BulletProof Locking Pin is made from stainless steel to provide maximum corrosion and rust protection. The length of the pin works with all 2", 2.5", & 3" hitch receivers. It can also be used to secure the dual ball or other BulletProof accessories into the hitch channel. Our locking pin features a 2" & 2.5" anti-rattle stabilization spacer to prevent side to side movement. This top-of-the-line locking pin has a universal fit. With 4" of usable length, it is compatible with any vehicle and any hitch on the market. The BulletProof Locking Pin is rated to the max capacity of the hitch 14,000- 36,000lbs and offers peace of mind when leaving your vehicle unattended. The thick, lockable barrel (end-piece) helps to prevent theft as well as provide a solid hold on your hitch.

Note: This locking pin is not compatible with the BulletProof Weight Distribution Adapter.

Order the BulletProof Locking Pin in packs of one, two, or three depending on your security needs. If ordering a two or three pack, we will make sure that they are keyed alike, meaning you can use 1 set of keys on your locking pins for convenience.

- SKU: BPLP
- SKU: BPLP2 (Two pack of locking pins keyed alike)
- SKU: BPLP3 (Three pack of locking pins keyed alike)



5/8" BLACK LOCKING PIN

The Black Ops locking pin from BulletProof hitches works on all 2", 2.5" & 3" receivers and has all the same features of our standard stainless locking pin. It features our signature textured black powder coat, for a perfect match to your BulletProof hitch. This lock can also be purchased keyed alike to other BulletProof Locking Products. All BulletProof locks are treated with aircraft-grade lubricant for longevity, feature a heavy-duty rubber cap and come with 2 keys.

SKU: BLACKBPLP



ACCESSORIES

PINTLE LOCK

The ultimate protection for your pintle trailer. Our patented design works on all size lunette rings and provides peace of mind when leaving your pintle trailer unattended. This lock can also be purchased keyed alike to other BulletProof Locking Products. All BulletProof locks are treated with aircraft-grade lubricant for longevity, feature a heavy-duty rubber cap and come with 2 keys.

SKU: PINTLELOCK



THE BULLETPROOF LATCH LOCK

The BulletProof Latch Lock is a great way to ensure your coupler stays locked onto your hitch. It's simple threaded design is easy to use and effective against trailer theft. Our universal design is compatible with most 1-7/8", 2" and 2-5/16" couplers. This lock can also be purchased keyed alike to other BulletProof Locking Products. All BulletProof locks are treated with aircraft-grade lubricant for longevity and come with 2 keys.

SKU: LATCHLOCK



BULLETPROOF 5/8" CORROSION RESISTANT PINS - PAIR

The BulletProof Corrosion Resistant Pins were designed with strength, durability and utility in mind. In addition to the zinc plating, the BulletProof 5/8" pin features an electro-less nickel undercoat for unsurpassed corrosion resistance. The pins are also heat-treated for increased strength and wear resistance. They're sold as a pair, including R-clips, and are rated to the full capacity of any BulletProof Hitch.

SKU: CRP



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES



EXTREME DUTY COUPLER LOCK

The BulletProof Extreme Duty Coupler Lock provides maximum protection against trailer theft. The patented design features a 1" hardened, solid steel bar, pick-resistant lock and cut resistant design making this coupler lock the ultimate in trailer protection! Our universal design is compatible with all 1-7/8", 2" and 2-5/16" couplers. All BulletProof locks are treated with aircraft-grade lubricant for longevity, feature a heavy-duty rubber cap and come with 2 keys.

SKU: EDCOUPLERLOCK



BULLETPROOF LOCKING COMBOS

Order the BulletProof Coupler Lock with the BulletProof Locking Pin as a combo and get them both keyed the same! If larger quantities are required, please contact us!

- 1 Coupler Lock + 1 Locking Pin
- 1 Coupler Lock + 2 Locking Pins
- 1 Coupler Lock + 3 Locking Pins
- 2 Coupler Locks + 1 Locking Pin
- 2 Coupler Locks + 2 Locking Pins
- 2 Coupler Locks + 3 Locking Pins
- 3 Coupler Locks + 1 Locking Pin
- 3 Coupler Locks + 2 Locking Pins
- 3 Coupler Locks + 3 Locking Pins




ACCESSORIES

MEDIUM DUTY COUPLER LOCK

The BulletProof Medium Duty Coupler Lock provides cost-effective protection against trailer theft. With a 1/2" hardened solid steel bar and pick-resistant lock, it is a great option for trailer protection. Our universal design is compatible with all 1-7/8", 2" and 2-5/16" couplers. This lock can also be purchased keyed alike to other BulletProof Locking Products. All BulletProof locks are treated with aircraft-grade lubricant for longevity, feature a heavy-duty rubber cap and come with 2 keys.

SKU: MDCOUPLERLOCK



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

HEAVY/EXTREME DUTY REPLACEMENT DUAL BALL

Our Heavy/Extreme Duty Replacement Dual Ball features the same solid steel construction as our high-quality hitches, coated with a durable black textured powder coat. This replacement dual ball pairs with any Heavy or Extreme Duty Bulletproof Hitch and includes a 2" ball on one side and a 2-5/16" dual ball on the other. The dual ball comes with 2 heat-treated, corrosion resistant pins and R-clips.

Dual Ball Weight Ratings

Heavy/Extreme Duty 2" — 12,000 pounds

Heavy/Extreme Duty 2-5/16" — 36,000 pounds

SKU: REPLACEMENTBALL

MEDIUM DUTY REPLACEMENT DUAL BALL

Our Medium Duty Replacement Dual Ball features the same solid steel construction as our high-quality hitches, coated with a durable black textured powder coat. This replacement dual ball pairs with any Medium Duty BulletProof Hitch and includes a 2" ball on one side and a 2-5/16" dual ball on the other. The dual ball will include 2 standard pins and R-clips.

Dual Ball Weight Ratings

Medium Duty 2" — 10,000 pounds

Medium Duty 2-5/16" — 14,000 pounds

SKU: MDDUALBALL

BULLETPROOF 1-7/8" SINGLE BALL MOUNT

Our BulletProof 1-7/8" Single Ball Mount is compatible with all of our hitches and features the same quality solid steel construction, coated with our durable, black textured powder coat. Our Single Ball Mount is great for smaller trailers, like jet ski trailers. With a weight rating of 6,000 pounds for a 1-7/8" ball, the Single Ball Mount comes with 2 heat-treated, corrosion resistant pins and R-clips.

SKU: 178SINGLE



ACCESSORIES

BULLETPROOF PINTLE ATTACHMENT

This attachment converts our dual ball setup into a pintle hitch. Lower the loop over the top of the 2-5/16" ball, drop our pintle attachment into the hitch channel above the loop, insert the supplied hardened pin, and you are ready to hit the road! Rated to 36,000 pounds when paired with our Extreme Duty hitches. NOTE: Medium Duty hitches are NOT COMPATIBLE with our Pintle Attachment. Only Heavy Duty and Extreme Duty hitches are compatible with the Pintle Attachment.

SKU: PINTLEATTACHMENT



BULLETPROOF 5/8" CHANNEL SHACKLES FOR SAFETY CHAINS - PAIR

Safety chains connect a trailer to the hitch receiver and work as a backup in case the coupler detaches from the ball. Attaching safety chains to a hitch receiver when using a drop hitch can be very difficult or even impossible under certain circumstances. With this pair of 5/8" shackles, you can attach your safety chains to the channel on any BulletProof Hitch. This allows you to get the correct safety chain length without the need for chain extenders. Our Channel Shackles are rated up to 6,500 pounds each.

SKU: SMALLSHACKLE



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

BULLETPROOF HEAVY DUTY SINGLE TANG CLEVIS WITH 1" PIN

The Heavy Duty Single Tang Clevis Attachment features a 1" pin and a single tang, this allows a connection to a farm-style drawbar and enables you to tow farming equipment! This attachment is built from solid steel and coated with our signature black textured powder coat, just like the rest of our hitches and accessories. This product includes a 1" zinc plated pin with a large handle and two of our standard 5/8" hardened pins. Compatible with all BulletProof Hitches™. Rated to 22,000 lbs.


SKU: SINGLETANG



BULLETPROOF MEDIUM DUTY 2-TANG CLEVIS WITH 1" PIN

The Medium Duty 2-Tang Clevis Attachment features a 1" pin and a 2-1/4" opening, allowing a connection to a Lunette Ring or a farm-style drawbar. It will enable you to tow with farming equipment, pintle trailers and even chains and straps! This attachment is built from solid steel and coated with our signature black textured powder coat, just like the rest of our hitches and accessories. This product includes a 1" zinc-plated pin with a large handle and two of our standard 5/8" hardened pins. Compatible with all BulletProof Hitches™. Rated to 14,000 pounds

SKU: MD2TANG



BULLETPROOF HEAVY DUTY 2-TANG CLEVIS WITH 1" PIN

The Heavy Duty 2-Tang Clevis Attachment features a 1" pin and a 2-3/8" opening, allowing a connection to a Lunette Ring or a farm-style drawbar. It will enable you to tow with farming equipment, pintle trailers and even chains and straps! This attachment is built from solid steel and coated with our signature black textured powder coat, just like the rest of our hitches and accessories. This product includes a 1" zinc-plated pin with a large handle and three of our standard 5/8" hardened pins. Compatible with all BulletProof Hitches™. Rated to 20,000 pounds

SKU: CLEVIS



ACCESSORIES

FRAME-MOUNTED HITCH STABILIZER BARS

Do you want to set your truck apart from the rest? The BulletProof Frame Mounted Hitch Stabilizer Bars definitely make a statement that your truck is ready to pull anything! This kit includes 2 black texture powder coated, heavy duty steel bars that connect the bottom of the hitch to the frame rails of the truck, eliminating all leverage on the truck's hitch receiver. All hardware, brackets and bolts needed for installation are included in the kit. The bars are extendable from 29"-45" inches and can be tightened, eliminating all slop/wobble from the hitch receiver. The Frame Mounted Hitch Stabilizer Bars will fit all existing BulletProof Hitches™ with 8" of drop or more.

BulletProof Frame-Mounted Kit Includes:

- 1x black texture powder coated 1/2" plate hitch bracket
- 2x black texture powder coated 1/2" plate frame brackets
- 2x black texture powder coated heavy duty bars 1-3/4" diameter that extends from 29" to 39"
- 1x 5/8"x 3" bolt & nylon lock nut
- 2x 3/4" heat treated pins with R-clips
- 2x 3/4"x 3" bolts & nylon lock jam nuts
- 4x 1/2"x 2" bolts & nylon lock nuts
- 4x 1/2" SAE washers
- 4x 3/4"x 3/8" spacers

SKU: STABILIZERBARS

Installation:

In some cases, fabrication is required to mount the frame brackets to the hitch receiver or the frame. This depends on the design of your factory hitch receiver and the location of the spare wheel. Some drilling is required! You'll need one 5/8" hole in the hitch gusset and four 1/2" holes in the frame. This kit does not include drill bits.



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES


BULLETPROOF SWAY CONTROL

To equip your vehicle with our full Sway Control System, a mounting point for the sway control bar must be attached to the hitch. With the BulletProof Sway Control Ball Mount, you can mount a sway control system between your hitch and your trailer. This is most useful in reducing sway on large, heavy loads. The Sway Control Ball Mount comes with a 2" and 2-5/16" combination ball and two side plates for mounting the sway control ball, giving you the option of attaching the sway control system to either side of the trailer. Typically, this setup would only have one side plate for mounting, which may not work for some applications. Having two ball sizes and mounting plates means you can easily switch trailers and even change which side you want to mount the sway control system on. This is especially important for trailers with designs that interfere with the articulation of the sway control system.

BULLETPROOF MEDIUM DUTY SWAY CONTROL BALL MOUNT

The Medium Duty Sway Ball Mount is rated up to 14,000 pounds and can be used on our Medium Duty hitches. If you are ordering this ball mount with a Medium Duty BulletProof Hitch, you can replace the standard dual ball that comes with our hitches for this Sway Control Ball Mount for an additional \$49.95. The entire ball mount comes coated with our durable, black textured powder coat and is covered by a lifetime warranty! Weight Rating: 10,000 pounds on the 2" ball and 14,000 pounds on the 2-5/16" ball (w/ Medium Duty Hitch). NOTE: Sway Control System NOT included.

SKU: MDSWAYCONTROLBALL



BULLETPROOF HEAVY/EXTREME DUTY SWAY CONTROL BALL MOUNT

The Heavy/Extreme Duty Sway Ball Mount is compatible with any of our Heavy or Extreme Duty hitches. If you are ordering this ball mount with a Heavy or Extreme Duty BulletProof Hitch, you can replace the standard dual ball that comes with our hitches for this Sway Control Ball Mount for an additional \$74.95. The entire ball mount comes coated with our durable, black textured powder coat and is covered by a lifetime warranty! Heavy/Extreme Duty Weight Rating: 12,000 pounds on the 2" ball and 36,000 pounds on the 2-5/16" ball (w/ Extreme Duty Hitch). NOTE: Sway Control System NOT included.

SKU: SWAYCONTROLBALL



ACCESSORIES

BULLETPROOF SWAY CONTROL SYSTEM

When towing large trailers, it is possible to experience trailer sway from wind, passing vehicles and uneven road surfaces. To prevent your trailer from swaying, BulletProof Hitches™ offers a Sway Control System that connects the sway control ball mount of the hitch to the front of the trailer. This system stiffens the connection between the truck and trailer, keeping it straight and in line with the towing vehicle. The Sway Control System makes it safer to tow large trailers like travel trailers or toy haulers.

BulletProof Sway Control System Includes:

- 1x Black texture powder coated friction bar
- 1x 1-1/4" Trailer-mounted ball
- 1x 1-1/4" Hitch-mounted ball with lock washer and nut
- 6x Metal lag screws
- 2x Retaining clips

NOTE: Sway Control System is not compatible with trailers equipped with surge brakes. This system MUST be used with a BulletProof Hitches™ Sway Control Dual Ball.

SKU: SWAYCONTROL



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

MEDIUM DUTY WEIGHT DISTRIBUTION SYSTEM



The BulletProof Medium Duty Weight Distribution System is designed to help you tow trailers with confidence. Our system evenly distributes the weight of the trailer over the axles of the tow vehicle for maximum stability and control. The integrated sway control helps to eliminate the side-to-side movement of the trailer for increased safety. This system allows you to tow large campers up to 10,000 pounds with confidence. No drilling required! Note: The adjustable shank is sold separately.

Key Features:
2-5/16" Ball included
Compatible with 1-7/8" & 2" Threaded Balls with 1" Shank
Works with all A-frame trailers
Ability to back up while the system is installed
No restrictions on turning
Rated to 10,000 pounds trailer weight and 1,000 lbs tongue weight
Electric brake compatible
Surge brake compatible

Included with System:
1 x Ball Mount Assembly
2 x Spring Bars
2x Spring Bar L-Brackets
6 x Spring Bar Brackets
2 x Retention Clips
1 x Spring Bar Lift Tool

SKU: MDWD

ACCESSORIES

BULLETPROOF 2" WEIGHT DISTRIBUTION SHANK

The BulletProof Weight Distribution Shank is the ultimate choice for those times you need to use a weight distribution system. This solid steel shank allows you to connect almost any weight distribution system. After modifying your vehicle's suspension and/or adding larger tires, you may need a longer drop. The shank can be used in the drop or the rise position. The vertical shank is 2" wide and the holes are 3/4" in diameter and spaced 1-1/4" on center. This allows for more adjustment of the WD head to ensure you are towing level. Offers 5 different ride heights. Rated to 22,000 pounds trailer weight and 3,000 lbs tongue weight. This is the shank ONLY.

SKU: WD2SHANK



BULLETPROOF 2.5" WEIGHT DISTRIBUTION SHANK

The BulletProof Weight Distribution Shank is the ultimate choice for those times you need to use a weight distribution system. This solid steel shank allows you to connect almost any weight distribution system. After modifying your vehicle's suspension and/or adding larger tires, you may need a longer drop. The shank can be used in the drop or the rise position. The vertical shank is 2" wide and the holes are 3/4" in diameter and spaced 1-1/4" on center. This allows for more adjustment of the WD head to ensure you are towing level. Offers 7 different ride heights. Rated to 22,000 pounds trailer weight and 3,000 lbs tongue weight. This is the shank ONLY.

SKU: WD25SHANK



BULLETPROOF 3" WEIGHT DISTRIBUTION SHANK

The BulletProof Weight Distribution Shank is the ultimate choice for those times you need to use a weight distribution system. This solid steel shank allows you to connect almost any weight distribution system. After modifying your vehicle's suspension and/or adding larger tires, you may need a longer drop. The shank can be used in the drop or the rise position. The vertical shank is 2" wide and the holes are 3/4" in diameter and spaced 1-1/4" on center. This allows for more adjustment of the WD head to ensure you are towing level. Offers 7 different ride heights. Rated to 22,000 pounds trailer weight and 3,000 lbs tongue weight. This is the shank ONLY.

SKU: WD30SHANK



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

HEAVY DUTY WEIGHT DISTRIBUTION ADAPTER

This solid steel adapter allows you to attach a weight distribution system to a BulletProof Hitch. After modifying your vehicle's suspension and/or adding larger tires, you may need a hitch with a longer drop. This accessory is compatible with all BulletProof Hitches and MOST weight distribution systems. The adapter is 2" wide and the holes are 3/4" in diameter and spaced 1-1/4" on center.

Rated to 6,500 pounds trailer weight and 1,500 lbs tongue weight when used with our Medium Duty Hitch. Rated to 22,000 pounds trailer weight and 3,000 lbs tongue weight when used with our Heavy Duty Hitch.

NOTE: One BulletProof Locking Pin is compatible with the Heavy Duty Weight Distribution Adapter. Please note locking pin MUST be used in either center hole ONLY.

Does NOT include a weight distribution ball with bars as shown in some of the photos. The adapter is sold as 1 individual piece to work with existing weight distribution systems.

SKU: HDWDA



ACCESSORIES

BULLETPROOF ROAD SHIELD MUD FLAP SYSTEM



The BulletProof Road Shield Mud Flap system is the ultimate protection for your trailer and its cargo from damage caused by rocks and road debris. Our patented, adjustable sleeve system works on all 2", 2.5" and 3" receivers, which makes it impossible to order the wrong product!

The 24" x 24" reinforced rubber flaps are 3/8" thick for extended durability. The BulletProof Road Shield Mud Flap system is built with the highest quality materials and components, providing years of trouble-free use. The system is made from heat-treated forged aluminum and stainless steel for light-weight, corrosion resistance and strength. Our signature textured black powder coat complements the look of your vehicle. With an adjustable width of 73.5" out to 97.5", this system easily fits compact trucks all the way up to large duallys with oversized tires.

Installs with no drilling, in less than 30 minutes and can be easily removed in less than 5 minutes! The heavy-duty flaps can be cut down to accommodate small or lowered vehicles. This system is compatible with most trailer hitches and all BulletProof Hitches!

If you are looking for the highest quality and most reliable way to protect your trailer, then the BulletProof Road Shield Mud Flap system is the perfect solution for your vehicle!

SKU: BPMUDFLAP



USE THIS QR CODE TO VIEW THE
BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

EXTREME DUTY ADJUSTABLE SHACKLE ATTACHMENT

If you want the strongest shackle mount you can buy, this is for you! This adjustable shackle mount is designed to be durable, safe, adjustable and easy to use. Just like our hitches, we use solid-steel construction and a durable, textured powder coat to ensure maximum strength and durability. Rigorously tested and backed by a lifetime warranty. Rated to 36,000 lbs.

SKU: EDSA



BULLETPROOF LOOP ATTACHMENT

The lunette ring/loop is compatible with any of our hitches. It is fully adjustable by removing the two hardened pins, moving the loop up or down in the channel and reinserting the pins. This attachment has a 24,000 lb. rating. It can be used as a coupler for your trailer or to attach ropes, chains and more for recovery or demolition.

SKU: LOOP



BULLETPROOF 2" RECEIVER ATTACHMENT

The BulletProof 2" Receiver Attachment allows you to attach 2" receiver accessories such as bike racks and cargo carriers to your BulletProof Hitch. This attachment can also be used for flat tow applications. It's rated to 5,000 pounds gross trailer weight and 500 pounds tongue weight capacity. This attachment comes coated in our standard textured black powder coat and includes three heat-treated/zinc-plated 5/8" pins and R-clips. NOTE: Not to be used with hitch extenders.

SKU: RECEIVERATTACHMENT



BULLETPROOF FLAT PLATE ATTACHMENT

The BulletProof Hitches Flat Plate Attachment is made of heavy duty, solid steel. This 12" x 10" plate can be used to mount a winch, a vice, as a table, or even as a place to sit! It is durable enough to be drilled through for mounting winches and vices and features our signature black textured powder coat. Three hardened pins and R-clips included for mounting the flat plate attachment to your hitch. Rated up to 22,000 pounds.

SKU: FLATPLATE



BULLETPROOF ANTI-RATTLE CLAMP

BulletProof Hitches™ are manufactured to a very tight tolerance of +/- .010 of an inch. Unfortunately, hitch receivers cannot always live up to these standards. Tolerances can vary as much as .100 of an inch and could cause some unwanted movement or rattle in the hitch.

To solve this, we have developed the BulletProof Anti-Rattle Clamp. It allows you to tighten the hitch to the receiver and eliminate all movement. Our Anti-Rattle clamp is made from 1/2" thick pressed break steel and features our signature black, textured powder coat.

Installation is simple- just slide the hitch through the clamp, insert the hitch into the receiver, tighten the bolt and then tighten the jam nut with a wrench to eliminate movement inside the receiver.

SKU: 2ANTIRATTLE

SKU: 25ANTIRATTLE

SKU: 30ANTIRATTLE



2.0"



2.5"



3.0"



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!


ACCESSORIES

BULLETPROOF HITCH STEP ATTACHMENT

Getting into the bed of your truck can be a chore, whether your vehicle is stock or lifted to the sky. With our step attachment, reaching into the bed of your truck or roof of your SUV is much safer than trying to stand on a greasy ball, wet bumper or tire. With a small profile, the step only occupies two of the pinholes in the channel of the hitch. With the BulletProof Step Attachment, you won't have to climb up your tire to get to your impact driver ever again!

The step attachment is constructed with heavy-duty steel and features our signature black textured powder coat for extreme durability. Two hardened pins and R-clips are included for mounting the step to your hitch.

SKU: STEP



ACCESSORIES

BULLETPROOF FLAG HOLDER ATTACHMENT

The BulletProof Flag Holder Attachment allows you to use your BulletProof Hitch to fly your flag anytime, anywhere, without having to sacrifice the use of your hitch. This attachment works with a flagpole up to 1.5" in diameter, and two thumbscrews tighten the pole in place. This attachment comes coated in our signature textured black powder coat and includes two heat-treated/zinc-plated 5/8" pins and R-clips. NOTE: Flag pole not included.

SKU: FLAGHOLDER



BULLETPROOF SAFETY CHAINS - HEAVY DUTY

The most important and most overlooked connection when towing is the safety chains. Factory length safety chains are often not long enough to connect your trailer to your hitch receiver when utilizing a drop hitch. We offer two solutions: Use the BulletProof Channel Shackles to safely connect the chains to the hitch, or replace the safety chains with our longer Bulletproof Safety Chains. Our safety chains will allow you to connect the trailer to your vehicle's hitch receiver regardless of what size drop you have. NOTE: Sold as a pair of 2 chains. Heavy Duty: Chains are 5/16" thick and 44" long with a 22,000 pounds combined capacity.

SKU: HDCHAINS



BULLETPROOF SAFETY CHAINS - EXTREME DUTY

The most important and most overlooked connection when towing is the safety chain. Factory length safety chains are often not long enough to connect your trailer to your hitch receiver when utilizing a drop hitch. We offer two solutions: use the BulletProof Channel Shackles to safely connect the chains to the hitch, or replace the safety chains with our longer Bulletproof Safety Chains. Our safety chains will allow you to connect the trailer to your vehicle's hitch receiver regardless of what size drop you have. NOTE: Sold as a pair of 2 chains. Extreme Duty: Chains are 1/2" thick and 42" long with a 46,000 pounds combined capacity.

SKU: EDCHAINS



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

ACCESSORIES

BULLETPROOF ACCESSORY CLAMP

The BulletProof Accessory Clamp was designed to make BulletProof accessories solid in your hitch. The clamp also helps to prevent theft by requiring the supplied offset wrench to remove your accessory.

Installation is simple- drop the clamp behind the dual ball or accessory, tighten the bolt by hand, finish with the supplied offset wrench and all movement is eliminated!

The BulletProof Dual Accessory Clamp is compatible with these BulletProof accessories: Extreme Duty Shackle Attachment, Single Tang, Clevis, Step Attachment, Flag Holder, Flat Plate, Receiver Attachment, Medium Duty Dual Ball, Medium Duty Sway Control Dual Ball, Heavy Duty Dual Ball, Heavy Duty Sway Control Dual Ball. *Not Compatible with our Pintle Attachment, Loop, Medium Duty Clevis or Heavy Duty Clevis.

SKU: ACCESSORYCLAMP

BULLETPROOF FRAME-MOUNTED HARDWARE KIT

Have you purchased a new truck and need to remount your stabilizer bars? Or have you lost a piece of the hardware for your BulletProof Frame-Mounted Hitch Stabilizer Bars? If so, the BulletProof Frame-Mounted Hardware Kit is for you!

SKU: FRAMEHARDWARE

BULLETPROOF 1-1/4" TRAILER-MOUNTED SWAY CONTROL BALL

Mount this Sway Control Ball plate on the front of your trailer with the six tapping screws included in order to attach our Sway Control System. This ball will allow you to attach the Sway Control System by R-clip.

SKU: SWAYCONTROLBRACKETS



BULLETPROOF 1-1/4" HITCH-MOUNTED SWAY CONTROL BALL

Attaching a Sway Control System from your BulletProof Hitch to your trailer requires the proper mounting points and a 1-1/4" ball bolted to either the left or right side of the BulletProof Sway Control Ball Mount and secured with a lock washer and nut to prevent it from coming loose.

SKU: SWAYCONTROLBALL114



BULLETPROOF REPLACEMENT STICKER

Replacement stickers for all hitches, dual balls, and pintle attachments. If you are unsure as to which sticker you are needing please call us at 941-251-8110 for assistance.

SKU: BPRS



BULLETPROOF ANTI-FRICTION GREASE

BulletProof Anti-Friction Grease is a perfect complement to the BulletProof Hitch. Applying a thin layer to each ball will help eliminate friction and prevent corrosion. Our anti-friction grease can also lubricate your hitch coupler to make locking and unlocking easier.

SKU: BPHGREASE



BULLETPROOF HITCHES POWDER COAT TOUCH UP

Want to keep your BulletProof Hitch looking show ready at all times, even if you tow heavy loads every day? The BulletProof Powder Coat Touch Up is just what you need! This touch up was custom made for our signature black textured powder coat and matches our hitches perfectly. Before using, you will want to wipe away any dirt or debris. A light spray is ideal. If one coat is not enough, another light coat may be needed.

SKU: TOUCHUP



USE THIS QR CODE TO VIEW THE BULLETPROOF HITCHES™ ACCESSORY LINE UP!

FOLLOW US

@BULLETPROOFHITCHES / #BULLETPROOFHITCHES



Thank you for choosing BulletProof Hitches™ to be a part of your setup! We are always featuring our customer's builds and tow rigs. Feel free to send us your pictures or be sure to tag us in your posts!

All submissions are automatically entered to win FREE BulletProof Hitches™ swag! Send your pictures to marketing@bulletproofhitches.com or use the QR code below to send your pictures via Instagram Messenger!



APPAREL



VISIT OUR WEBSITE FOR A FULL LINE UP OF APPAREL!

BulletProof Hitches™ offers short sleeve and long sleeve performance tees that are perfect for any temperature!

The BulletProof Hitches™ caps are all adjustable Richardson hats with breathable mesh backs.

Want to give the gift of a BulletProof Hitch but not 100% sure what to buy?

The BulletProof Hitches™ gift card makes the perfect gift!

We love to see our valued customers rocking our brand name. Please be sure to tag us in your posts!

#BULLETPROOFHITCHES / @BULLETPROOFHITCHES



USE THIS QR CODE TO VISIT THE BULLETPROOF HITCHES™ IG PAGE!



USE THIS QR CODE TO VIEW MORE BULLETPROOF HITCHES™ SWAG!





BULLETPROOF HITCHES, LLC
HEADQUARTERS AND SHOWROOM LOCATED AT
3145 LAKEWOOD RANCH BLVD, SUITE 106
BRADENTON, FL 34211
844-894-6448

WWW.BULLETPROOFHITCHES.COM